



Mustad Product catalogue

Content



Shoes

Mustad horseshoes 2

St. Croix horsehoes 24

Summary 41

Mustad nails 42

Heller hoof rasps 68

One-stop-shop 78

Mustad Horseshoes

1



Mustad horseshoes are designed and crafted according to two key principles: making the ideal horseshoe for the horse and ensuring ease of application for the farrier.

For this reason our product range is necessarily comprehensive. There are Mustad horseshoes to suit practically all possible situations – taking account of the physical condition of the horse and environmental requirements. At the Mustad factory in Friesland the objective is to provide the best possible horseshoes. We use a state-of-the-art production facility and top-grade steel to ensure precision and consistency that you can always rely on.

The Mustad **Equi-Librium** horseshoe is a good example of the objective that we have set ourselves. This horseshoe was designed in conjunction with a team of specialists whose understanding of the anatomy of the horse was the basis for the ultimate design of this unique horseshoe. We are very proud to have developed this Olympic-Gold-winning horseshoe.



BM VERSATILE, RELIABLE RIDING HORSESHOES



The Mustad BM is comparable to the LB horseshoes, which are traditionally $\frac{3}{4}$ -fullered European riding horseshoes. The main difference between the LB and BM is the way in which the clip is drawn from the metal of the shoe. In the BM horseshoes the clips are drawn from the web of the shoe in traditional style. The nail holes of this range are also punched slightly coarser making it possible to fit the shoe slightly wider to the hoof or to accommodate thicker-walled hooves.

The BM horseshoe is available in numerous sizes and sections to cope with most requirements of everyday use. The shaping of the front and hind shoe have some anatomical adaptations which result in a definite left and right shape. The outside branch is slightly longer and the nail holes are punched a fraction coarser for optimum fitting and nailing on. The heels of all front shoes are sloped while the hind shoes are left with upright heels.

Shoes Front & Hind
Model typical left and right
Clips unclipped, toe clip & side clips
Sizes 5*0 - 5

Sole relief on the hoof surface of the shoe is a standard feature in order to prevent any bruising of the sole in the toe area. All edges of the shoe are broken or boxed to

prevent self-injury by the horse. The V-crease and nail holes provide a perfect fit with Mustad nails.



**Nail type for
this product**

**Go to
page**

E

45

E-slim


46

EXL

47



The BM horseshoe is also available as a special coarse-punched $\frac{3}{4}$ -fullered shoe with the fullering and nail holes set even coarser for thicker-walled hooves. This model is available in different sizes



Standard design


Dimensions	Sizes
20x8	5*0 - 2*0
22x8	2*0 - 4
25x8	1 - 4
20x10	2*0 - 0
22x10	2*0 - 4
25x10	1 - 5

Coarse punched version

Dimensions	Sizes
22x8 toe clip	2*0 - 2
25x8 toe clip	1 - 4



These horseshoes are also available on request with stud holes: 3/8", M10 or M12.



Standard design

Dimensions	Sizes
20x8	5*0 - 2*0
22x8	2*0 - 4
25x8	1 - 4
20x10	2*0 - 0
22x10	2*0 - 4
25x10	1 - 5

Coarse punched version

Dimensions	Sizes
22x8 side clips	2*0 - 2
25x8 side clips	1 - 4

20x8 Front

Sizes	A	B	C	D	E
5*0	111	109	20	299	8
4*0	116	114	20	313	8
3*0	121	119	20	326	8
2*0	128	125	20	340	8

22x8 Front

Sizes	A	B	C	D	E
2*0	128	125	22	340	8
0	135	131	22	355	8
1	142	137	22	374	8
2	148	143	23	392	8
3	156	150	23	415	8
4	164	159	23	438	8

25x8 Front

Sizes	A	B	C	D	E
1	142	137	25	374	8
2	148	143	25	392	8
3	156	150	25	415	8
4	164	159	25	438	8

20x10 Front

Sizes	A	B	C	D	E
2*0	128	125	20	340	9,5
0	135	131	20	355	9,5

22x10 Front

Sizes	A	B	C	D	E
2*0	128	125	22	340	9,5
0	135	131	22	374	9,5
1	142	137	22	374	9,5
2	148	143	23	392	9,5
3	156	150	23	415	10
4	164	159	23	438	10

25x10 Front

Sizes	A	B	C	D	E
1	142	137	25	374	9,5
2	148	143	25	392	9,5
3	156	150	25	438	10
4	164	159	25	438	10
5	177	166	25	451	10

27x12 Front

Sizes	A	B	C	D	E
2	148	143	27	392	12
3	156	150	27	415	12
4	164	159	27	438	12

29x12 Front

Sizes	A	B	C	D	E
5	177	166	29	451	12

20x8 Hind

Sizes	A	B	C	D	E
5*0	105	108	20	286	8
4*0	111	114	20	292	8
3*0	117	120	20	314	8
2*0	123	126	20	328	8

22x8 Hind

Sizes	A	B	C	D	E
2*0	123	126	22	228	8
0	129	132	22	343	8
1	136	139	22	361	8
2	141	145	23	378	8
3	147	151	23	398	8
4	153	157	23	418	8

25x8 Hind

Sizes	A	B	C	D	E
1	136	139	25	361	8
2	141	145	25	378	8
3	147	151	25	398	8
4	153	157	25	418	8

20x10 Hind

Sizes	A	B	C	D	E
2*0	123	125	20	328	9,5
0	129	132	20	343	9,5

22x10 Hind

Sizes	A	B	C	D	E
2*0	123	126	22	328	9,5
0	129	132	22	343	9,5
1	136	139	22	361	9,5
2	141	145	23	378	9,5
3	147	151	23	398	10
4	153	157	23	418	10

25x10 Hind

Sizes	A	B	C	D	E
1	136	139	25	361	9,5
2	141	145	25	278	9,5
3	147	151	25	398	10
4	153	157	25	418	10
5	160	164	25	438	10

27x12 Hind

Sizes	A	B	C	D	E
2	141	145	27	378	12
3	147	151	27	398	12
4	153	157	27	418	12

29x12 Hind



Sizes	A	B	C	D	E
5	160	164	29	438	12




LB ALL-ROUND HORSESHOE

The Mustad LB is a typical ¾-fullered horseshoe. This all-round shoe, often called a “flat shoe”, allows the farrier more flexibility when deciding on modifications or applications of the shoe. We consider the LB to be our base range of shoes suitable for most leisure and sport purposes with a wide variety of sizes and sections. Both front and hind shoes have a definite left and right shape and are all fitted with flush clips, using extra metal at the forging stage to maintain strength and integrity in this area. The outside branch is slightly longer and the nail holes for this branch are punched a fraction coarser for optimum fitting and nailing on. The heels of all front shoes are sloped while the hind shoes are left with upright heels.


Shoes	Front & Hind	Sole relief is provided on the hoof	overreaching and this also helps
Model	typical left and	surface of the shoe in order to	prevent self-injury from hoof
Clips	right	prevent any bruising of the sole	strikes. The V-crease and nail
Sizes	toe clip &	the toe area. All edges of the shoe	holes provide a perfect fit with
	side clips	are broken or boxed to prevent	Mustad nails.
	7*0 - 5	the loss of a shoe due to	



Nail type for this product	Go to page
E	45
E-slim	46
EXL	47



Dimensions	Sizes
18x8	7*0 - 6*0
20x8	5*0 - 1
22x8	2*0 - 4
25x8	1 - 5
20x10	3*0 - 1
22x10	2*0 - 4
25x10	1 - 5



These horseshoes are also available on request with stud holes: 3/8", M10 or M12.

Dimensions	Sizes
18x8	7*0 - 6*0
20x8	5*0 - 1
22x8	2*0 - 4
25x8	1 - 5
20x10	3*0 - 1
22x10	2*0 - 4
25x10	1 - 5

18x8 Front

Sizes	A	B	C	D	E
7*0	97	97	18	266	8
6*0	104	103	18	283	8

20x8 Front

Sizes	A	B	C	D	E
5*0	111	109	20	299	8
4*0	116	114	20	313	8
3*0	121	119	20	340	8
2*0	128	125	20	340	8
0	135	131	20	355	8
1	142	137	20	374	8

22x8 Front

Sizes	A	B	C	D	E
2*0	128	125	22	340	8
0	135	131	22	355	8
1	142	137	22	374	8
2	148	143	23	392	8
3	156	150	23	415	8
4	164	159	23	438	8

25x8 Front

Sizes	A	B	C	D	E
1	142	137	25	374	8
2	148	143	25	392	8
3	156	150	25	415	8
4	164	159	25	451	8
5	177	166	25	451	8

20x10 Front

Sizes	A	B	C	D	E
3*0	121	119	20	326	9,5
2*0	128	125	20	340	9,5
0	135	131	20	355	9,5
1	142	137	20	374	9,5

22x10 Front

Sizes	A	B	C	D	E
2*0	128	125	22	340	9,5
0	135	131	22	374	9,5
1	142	137	22	374	9,5
2	148	143	23	392	9,5
3	156	150	23	415	10
4	164	159	23	438	10

25x10 Front

Sizes	A	B	C	D	E
1	142	137	25	361	9,5
2	148	143	25	378	9,5
3	156	150	25	398	10
4	164	159	25	418	10
5	177	166	25	348	10

18x8 Hind

Sizes	A	B	C	D	E
7*0	90	94	18	253	8
6*0	98	100	18	266	8

20x8 Hind

Sizes	A	B	C	D	E
5*0	105	108	20	286	8
4*0	111	114	20	292	8
3*0	117	120	20	314	8
2*0	123	126	20	328	8
0	129	132	20	343	8
1	136	139	20	361	8

22x8 Hind

Sizes	A	B	C	D	E
2*0	123	126	22	328	8
0	129	132	22	343	8
1	136	139	22	361	8
2	141	145	23	378	8
3	147	151	23	398	8
4	153	157	23	418	8

25x8 Hind

Sizes	A	B	C	D	E
1	136	139	25	361	8
2	141	145	25	378	8
3	147	151	25	398	8
4	153	157	25	418	8
5	160	164	25	438	8

20x10 Hind

Sizes	A	B	C	D	E
3*0	117	118	20	314	9,5
2*0	123	125	20	328	9,5
0	129	130	20	343	9,5
1	136	136	20	361	9,5

22x10 Hind

Sizes	A	B	C	D	E
2*0	123	126	22	328	9,5
0	129	132	22	343	9,5
1	136	139	22	361	9,5
2	141	145	23	378	9,5
3	147	151	23	398	10
4	153	157	23	418	10

25x10 Hind

Sizes	A	B	C	D	E
1	136	139	25	361	9,5
2	141	145	25	378	9,5
3	147	151	25	398	10
4	153	157	25	418	10
5	160	164	25	438	10



DM GERMAN MODEL FOR WARMBLOOD HORSES



Traditionally in different countries there are horseshoe types and models that farriers prefer to use. The Mustad DM (German model) is a $\frac{3}{4}$ -fullered horseshoe, designed for warmbloods. It is slightly longer in shape and as a result has a more oval shape with extra width in the toe and branches tapering down to the heels. This gives a very good wear pattern. The DM style comes in both clipped and unclipped models (DU) and is available in a wide variety of sizes and sections to deal with most requirements of everyday riding practice. The front shoes are symmetrical in shape with boxed heels. Hind shoes have a left and right shape with straight-cut heels. The hind outside branch is slightly longer and the nail holes are punched a fraction coarser for optimum fitting and nailing on.

On all DM models with a web width of 22mm the inside edge on the ground surface has a semi-concave section in order to reduce weight and improve traction. This also assists in reducing the build-up of mud around the shoe.


Shoes Model Front & Hind front symmetrical, hind typical left and right
Clips unclipped, toe clip & side clips
Sizes 3*0 - 7

The DM horseshoe has a more oval shape than normal. The inner edge of the bottom surface is bevelled to reduce weight and improve grip and also helps with the removal of mud and manure


from around the shoe as well as preventing toe-scraping. The heels are solid to provide maximum support and for drilling stud/pin holes. There is sole relief on the hoof side of the horseshoe.



Nail type for this product	Go to page
E	45
E-slim	46
EXL	47
M	56



Dimensions	Sizes
19x8	2*0 - 5
22x8	2 - 7
19x10	0 - 6
22x10	2 - 7



These horseshoes are also available on request with stud holes: 3/8", M10 or M12.

Dimensions	Sizes
19x8	3*0 - 5
22x8	2 - 7
19x10	0 - 6
22x10	2 - 7

19x8 Front

Sizes	A	B	C	D	E
2*0	110	115	19	307	8
0	116	121	19	323	8
1	122	127	19	339	8
2	128	133	19	356	8
3	134	139	19	371	8
4	140	145	20	387	8
5	146	151	20	403	8

22x8 Front

Sizes	A	B	C	D	E
2	128	133	22	356	8
3	134	139	22	371	8
4	140	145	22	387	8
5	146	151	23	403	8
6	153	158	23	421	8
7	159	163	23	433	8

19x10 Front

Sizes	A	B	C	D	E
0	116	121	19	323	9,5
1	122	127	19	339	9,5
2	128	133	19	356	9,5
3	134	139	19	371	9,5
4	140	145	20	387	9,5
5	146	151	20	403	10
6	153	158	20	421	10

22x10 Front

Sizes	A	B	C	D	E
2	128	133	22	356	9,5
3	134	139	22	371	9,5
4	140	145	22	387	9,5
5	146	151	23	403	10
6	153	158	23	421	10
7	159	163	23	433	10

19x8 Hind

Sizes	A	B	C	D	E
3*0	104	110	19	287	8
2*0	110	115	19	300	8
0	116	121	19	315	8
1	122	127	19	331	8
2	128	133	19	346	8
3	134	139	19	362	8
4	140	145	20	377	8
5	146	151	20	393	8

22x8 Hind

Sizes	A	B	C	D	E
2	128	133	22	346	8
3	134	139	22	362	8
4	140	145	22	388	8
5	146	151	23	393	8
6	153	158	23	411	8
7	159	163	23	424	8

19x10 Hind

Sizes	A	B	C	D	E
0	116	121	19	315	9,5
1	122	127	19	331	9,5
2	128	133	19	346	9,5
3	134	139	19	362	9,5
4	140	145	20	377	9,5
5	146	151	20	393	10
6	153	158	20	411	10

22x10 Hind

Sizes	A	B	C	D	E
2	128	133	22	346	9,5
3	134	139	22	362	9,5
4	140	145	22	377	9,5
5	146	151	23	393	10
6	153	158	23	411	10
7	159	163	23	424	10



CONTINENTAL HIGH PERFORMANCE HORSESHOE

The Mustad Continental is a high-performance shoe developed specially for European-type sport horses. Both the front and hind Continental horseshoes come in left and right forms. Although the design of the Continental appears symmetrical, the outside branch is slightly longer than the inner one, with the nail holes punched a fraction coarser for optimum fitting and nailing on. The inside edge on the ground surface has a concave section in order to reduce weight and improve traction. This also assists in reducing the build-up of mud around the shoe. The crease runs through the toe for even more traction and also lightens the shoe without compromising strength.

The concave section and the crease do not extend through the heels in order to improve support during landing and to provide a strong flat base for stud holes. Having full heels also gives the farrier the option of forging a variety of innovative alternatives in the heel area of the shoe.



All shoe sizes above size 2 have five nail holes on each branch, allowing the farrier a better choice for nail placement. Broken edges and sole relief are standard features on all shoes.



Shoes Front & Hind
Model typical left and right
Clips toe clip & side clips
Sizes 2*0 - 4

The inner edge on the underside is bevelled to reduce weight and improve traction. This means that sand, mud and manure simply drop off the horseshoe. To further reduce weight and improve grip

the crease is extended into the toe section. The branches at the heel are not creased to provide a strong base for studs and also allow for modifications in the heel area.



Nail type for this product

E

E-slim


EXL

Go to page


45

46

47




These horseshoes are also available on request with stud holes: 3/8", M10 or M12.



Type	A	B	C	D	E
2*0	128	125	21,5	343	7,5
0	135	131	22	326	8
1	142	137	22,5	368	8
2	148	143	23	381	8,5
3	156	150	23,5	413	8,5
4	164	159	24	439	9



These horseshoes are also available on request with stud holes: 3/8", M10 or M12.



Type	A	B	C	D	E
2*0	123	126	21,5	330	7,5
0	129	132	22	343	7,5
1	136	139	22,5	362	8
2	141	145	23	381	8
3	147	151	23,5	400	8,5
4	153	157	24	419	9



EQUI-LIBRIUM – THE PERFECT BALANCE

The design of the Equi-Librium horseshoe is the result of an extensive scientific research project at Utrecht University in The Netherlands. Welfare and athletic performance of the horse took priority in the design of the Equi-Librium, where balance and breakover are the key design features of this shoe. The positive effects of this shoe have not only been scientifically proven, but have also been demonstrated in practice. Overall, Equi-Librium is a sport shoe for performance horses as well as any horses that have to make (fast) turns in their work. The proven beneficial effects of the Equi-Librium will also aid horses suffering from overload injuries of the distal limb during their rehabilitation process.

Although the design of the Equi-Librium appears symmetrical at first sight, there are subtle anatomical adaptations resulting in a definite left and right shape. The outside branch is slightly longer, with the nail holes punched a fraction coarser for optimum fitting and nailing on.

The extra-wide toe area is forged with a two-dimensional convex curve allowing the horse to fluently break over in any direction required. Special care was taken to ensure that the centre of mass of the shoe matches the Centre of Pressure (CoP) during mid-stance of the horse, thereby creating the perfectly balanced hoof.

The inside edge of the ground surface has a balanced concave section in order to reduce weight. This also assists in reducing the build-up of mud around the shoe. The concave section and the crease stop short of the heels in order to improve support during landing and to provide a strong base for stud holes. Having full heels also gives the farrier the option of forging a variety of innovative alternatives in the heel area of the shoe.

All dimensions and sections have been optimised giving one section per shoe size, so selection of the right shoe is made easy. Broken edges, sole relief and flush quarter clips are standard features on all shoe sizes. Unclipped versions of the Equi-Librium are also available.



Nail type for
this product

Go to
page

E

45

E-slim

46



EXL

47

Shoes Front
Model typical left and right
Clips unclipped & side clips
Sizes 3*0 - 4

To prevent the formation of pressure points under the shoe, sole relief is provided on the bearing surface. The nail holes and the crease have been especially designed for Mustad horseshoe nails, especially the EXL model. All

edges of the shoe are broken or boxed to prevent self-injury by the horse. All sizes have been optimised to achieve a perfect balance. The horseshoe sizes are proportionately increased in size, depending on dimensions.





These horseshoes are also available on request with stud holes: 3/8", M10 or M12.

Type	A	B	C	D	E
3*0	124	124	21	335	8,9
2*0	128	128	21,5	350	9,1
0	135	135	22	365	9,3
1	142	142	22,5	380	9,5
2	148	148	23	395	9,7
3	156	156	23,5	415	9,9
4	164	164	24	440	10,1

Shoes Front
Model typical left and right
Clips toe clip
Sizes 2*0 - 4

Equi-Librium is now also available in a toe-clipped version. The width of the toe is narrower; the horseshoe is lighter and has a chamfered edge on the underside

to prevent toe-scraping. The other specifications correspond to those for the original Equi-Librium model.



Type	A	B	C	D	E
2*0	128	128	21,5	350	9,1
0	135	135	22	365	9,3
1	142	142	22,5	380	9,5
2	148	148	23	395	9,7
3	156	156	23,5	415	9,9
4	164	164	24	440	10,1

St. Croix Horseshoes

2



All over the world horses are shod with horseshoes from the versatile range made by St. Croix; from docile weekend ponies to top performers at major events competing at World Championship level. Although St. Croix is a manufacturer with a long tradition, there have been numerous innovative developments over time and these are now incorporated in the production process.

A large part of the old conventional, frequently dangerous, skilled handwork is now performed by robots. This development combines the old traditional styles and knowledge of what it takes to shoe a horse well with the latest innovations and new production methods for creating a perfect product. St. Croix wants to make the farrier's job easier, while at the same time producing products that will maximise the horse's sporting performance.

St. Croix Forge is based in rural Forest Lake, Minnesota, and is proud that as a traditional company they have achieved such a good reputation for high-quality products that are both farrier-and horse-friendly.

Whether it be a classic horseshoe for the saddle horse, a high-performance horseshoe for a top competitive horse or an orthopaedic horseshoe for a therapeutic case, anyone who uses and fits St. Croix horseshoes will soon come to appreciate the in-depth know-how and functionality that St. Croix puts into all its products.





CONCORDE STEEL FOR LIGHT COMPETITIVE HORSES

The Concorde horseshoe is a light steel shoe designed for competitive horses where good grip and traction are important factors, for example racing horses. The Concorde is a complete concave horseshoe that in combination with the all-round crease offers extra traction and lower weight. The crease is continuous through the toe area and back to the heel. The concave section in the toe moves the turning point slightly, so it is displaced backwards, which assists the rolling motion of the foot. The concave form also ensures that manure and sand on the inside of the horseshoe can easily drop off. On hind Concorde horseshoes the heel section is fully formed to provide additional support and to easily allow adaptations such as drilling holes for studs.

Shoes Front & Hind
Model symmetrical, concave
Clips unclipped, toe clip & side clips
Sizes 2 - 9

The hoof side features a sole relief: a chamfered edge in the toe section to prevent pressure points on the sole. Concorde horseshoes are provided with seven nail holes so that an optimum nail position can be

selected for each horse. The heels are rounded and thus help avoid wear and self-inflicted injuries. The nail holes have been punched for slim-blade nails, but FJ and C STÖ nails also fit perfectly.



Nail type for this product


Go to page

FJ


53

CSTO

52



Type	A	B	C	D	E
2	113	106	18	298	8
3	117	110	18	311	8
4	124	116	18	321	8
5	129	119	19	332	8
6	133	125	20	346	8
7	138	129	21	360	8
8	144	135	22	375	8
9	149	140	22	384	8



Type	A	B	C	D	E
2	110	108	18	287	8
3	113	113	18	298	8
4	118	117	18	311	8
5	124	121	19	324	8
6	129	127	20	337	8
7	133	132	21	349	8
8	138	137	22	368	8
9	144	143	22	387	8





CONCORDE ALUMINIUM AS STRONG AS STEEL

The Concorde model in aluminium has the same features as the regular Concorde horseshoe but at a much lower weight. The Concorde aluminium horseshoe is the perfect choice where weight must be reduced to a minimum, for example in flat racing. However, horses with sensitive hooves and/or horses that are in rehabilitation after a leg injury can also benefit from the advantages of the aluminium version of the Concorde.

Shoes Front & Hind
Model symmetrical,
concave
Clips unclipped, toe clip
& side clips
Sizes 2 - 9

The hoof side features a sole relief:
a chamfered edge in the toe section
to prevent pressure on the sole.
Concorde aluminium shoes have
seven nail holes (each side) so that

an optimum nail position can be
selected for each horse. The heels
are rounded and thus help avoid
wear and self-inflicted injuries.




**Nail type for
this product**


FJ
CSTO

**Go to
page**


53
52



Type	A	B	C	D	E
2	113	106	18	298	8
3	117	110	18	311	8
4	124	116	18	321	8
5	129	119	19	332	8
6	133	125	20	346	8
7	138	129	21	360	8
8	144	135	22	375	8
9	149	140	23	NA	8



Type	A	B	C	D	E
2	110	108	18	287	8
3	113	113	18	298	8
4	118	117	18	311	8
5	124	121	19	324	8
6	129	127	20	337	8
7	133	132	21	349	8
8	138	137	22	368	8
9	144	143	23	387	8





EVENTER STEEL GRIP, WEIGHT, HIGH PERFORMANCE

St. Croix steel horseshoes are drop-forged from premium steel which has the required properties expected in top-quality horseshoes and this will be evident to the farrier during fitting. Resistance to wear, a good fit and reliable holes are expected features of St. Croix steel horseshoes. The Eventer is a popular horseshoe which has been designed for the needs of versatile, often very spirited horses. In this context, terms such as grip, weight and performance are very important. This is a profiled horseshoe with a consistently high quality. The heels are flat without fullering for better support of the hoof and with the option of drilling holes for studs. In addition to the added grip provided by the concave section, it also helps prevent the build-up of manure and sand under the foot. Another integral feature aimed at improving the grip and reducing the weight is the continuous crease in the toe section. The crease has a U-shaped fuller, but is designed so that E-nails will also fit perfectly.


Shoes Front & Hind
Model symmetrical
Clips unclipped, toe clip & side clips
Sizes 3*0 - 4

The hoof side features a sole relief: a chamfered edge in the toe section to prevent the formation of pressure points on the sole. The heels are rounded and thus help


avoid wear and self-inflicted injuries. Both front and hind shapes are symmetrical.



Nail type for this product	Go to page
E	45
E-slim	46
EXL	47



Type	A	B	C	D	E
3°0	114	114	20	304	7
2°0	121	121	21	318	8
0	127	127	21	343	9
1	133	133	22	362	9
2	140	140	22	381	9
3	149	149	23	400	10
4	159	159	23	419	10



Type	A	B	C	D	E
3°0	113	114	19	304	7
2°0	121	124	20	318	8
0	127	133	21	343	9
1	133	140	21	356	9
2	140	146	22	381	9
3	146	152	22	400	10
4	155	159	23	419	10



EVENTER ALUMINIUM 70% LIGHTER



The design of the Eventer aluminium horseshoe is the same as that of the standard steel Eventer horseshoe, except that it is cast in aluminium. The use of aluminium has made it possible to reduce the weight, compared to the steel Eventer horseshoe, by around 70%. Aluminium does not have the wear resistance of steel, but because of its lower weight it is perfect for horses that are in rehabilitation after a leg injury, or for horses that are very sensitive to strain or loading injuries. Also this lighter shoe is useful where the horse requires the additional support provided by sole pads or silicone, which can increase the overall weight per foot by up to 500g; this increase in weight can be limited by using an aluminium shoe. The properties of aluminium for working differ from those of steel, especially since during heat deformation there is no fusion phase as in steel but only a fusion point. Once this point is reached, the metal melts immediately.

Shoes Front & Hind
Model symmetrical
Clips side clips
Sizes 2*0 - 4

The hoof side features a sole relief: a chamfered edge in the toe section to prevent the formation of pressure points on the sole. The heels are rounded and thus help



avoid wear and self-inflicted injuries.

Both front and hind shapes are symmetrical.




Nail type for
this product
E

Go to
page
45



Type	A	B	C	D	E
2*0	121	121	21	318	8
0	127	127	21	343	9
1	133	133	22	362	9
2	140	140	22	381	9
3	149	149	23	400	10
4	159	159	23	419	10



Type	A	B	C	D	E
2*0	121	124	20	318	8
0	127	133	21	343	9
1	133	140	21	356	9
2	140	146	22	381	9
3	146	152	22	400	10
4	155	159	23	419	10





EVENTER PLUS A NEW DIMENSION TO EXTENSION

By popular demand, the Eventer Plus steel horseshoe has been adapted for warmbloods that have a thicker hoof wall and require a wider and thicker horseshoe. Some features of the Eventer Plus differ from those of the standard Eventer in that the front shape has a somewhat less rounded form and the hind shape has a wider outer branch. For details about the differences in the thicknesses of Eventer and Eventer Plus see the tables.

Shoes Front & Hind
Model front symmetrical,
hind typical left
and right
Clips toe clip &
side clips
Sizes 3*0 - 6


The hoof side features a sole relief: a chamfered edge in the toe section to prevent the formation of pressure points on the sole. The heels are rounded and thus help avoid wear and self-inflicted

injuries. The front shoes are symmetrical; the hind horseshoes asymmetrical, making typical left and right shapes.





**Nail type for
this product**
E

**Go to
page**
45



Type	A	B	C	D	E
0	130	127	21	349	8
1	138	135	21	361	9
2	147	143	23	391	10
3	156	152	24	414	10
4	165	162	25	440	10



Type	A	B	C	D	E
0	130	133	21	354	8
1	138	143	21	375	9
2	146	151	23	397	10
3	156	159	24	419	10
4	165	168	25	445	10



Mustad **BM**



Mustad **LB**



Mustad **DM**



Mustad **Euro**



Mustad **Continental**



Mustad **Equi-Librium**



St. Croix **Concorde**



St. Croix **Eventer**



St. Croix **Eventer Plus**



Mustad **BM**



Mustad **LB**



Mustad **DM**



Mustad **Euro**



Mustad **Continental**



St. Croix **Concorde**




St. Croix **Eventer**



St. Croix **Eventer Plus**

Mustad Nails

2



The major technological inventions that have shaped the success of Mustad have been in the metals/mechanical field, particularly in items that can be made from steel - horseshoe nails being one such product.

The result today is a horseshoe nail made to the highest quality standard in the industry – with a production tolerance of only 0.05 mm! A strong nail with a precisely formed head, a tapered shank and specially shaped nail point angles for ultimate control when nailing on.

Our mutual co-operation with farriers from all over the world in combination with our advanced research and manufacturing know-how provides the farrier with the best possible horseshoe nail he/she can buy.



EUROPEAN STYLE – STANDARD NECK


This nail series in conjunction with the E-nail is one of the classic Mustad nail designs. Thanks to their excellent qualities the nails are perfect for most common V-fullered 8-10 mm horseshoes. All nails in this series are distinguished by a common head-form, the E-form. The differences between the individual types lie in the length and thickness of the shank. The EXL nail is also notable for its reinforced neck, with a very long and slender shank. All Mustad nails are manufactured to the highest quality standards on modern machines using specially selected materials. For the farrier a nail is a precise component of his/her art. When a shoe is fitted, individual nails are driven into the white line and must then project out of the hoof wall in a consistent and reliable way. The ability to fulfil this criterion is the basis for all Mustad nail designs, meaning that any style of nail can be purchased with the confidence that it will perform perfectly. As part of this quality and performance quest every Mustad nail is manufactured to a maximum production tolerance of just 0.05mm – they will perform the same time after time.

Type	E head
Model	European style, with a rectangular head
Shoes	V-fullered shoes: LB, BM, DM, Equi-librium
Sizes	E1 (41mm) - E14 (80mm)


The E-nail is a classic Mustad nail that is consistent in its task every single step of the way. This nail is a mainstay of the range and can be used for many different types of horse and horseshoe styles

whether used for leisure or for top competition. The E-nail fits in all V-crease horseshoes and is available in sizes to suit every application.

E NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.




Type	E head
Model	European style, with rectangular head shape and an extra long and slim shank
Shoes	V-fullered shoes: LB, BM, DM, Equi-librium
Sizes	E2 SL (45.5mm) - E10 SL (72mm)


The E-slim nail is manufactured with a longer thinner shank than the E-nail so that it can be driven simply, precisely and high into the hoof wall. The E-Slim is ideal for horses with a thin hoof wall, such as thoroughbreds, as it causes even

less disruption to the hoof wall than the slightly thicker E-nails. All Mustad nails are highly polished allowing them to glide easily through hoof horn without deviation from the intended path.

E-SLIM NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.





Type	E head
Model	French style, with a rectangular head and an extra long, slim and strong design
Shoes	V-fullered shoes: LB, BM, DM, Equi-librium
Sizes	EXL3 (52mm) - EXL6 (58.5mm)


EXL is a high-quality nail suitable for high nailing with minimum displacement of the hoof wall. The reinforced neck gives the nail an optimised, strong fit. The shank of the EXL is even longer and thinner than that of the E-slim. A

combination of design features turns the EXL into a top-quality nail, which ensures an excellent fit in all V-fullered horseshoes, especially in the Equi-Librium horseshoe.

EXL NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.





Type	E head
Model	European style, with rectangular head shape, ultra slim
Shoes	V-fullered shoes: LB, BM, DM, Equi-librium
Sizes	MX40 (45mm) - MX80 (70mm)


The MX nail has an even slimmer shank than the E-Slim and has been developed to reduce as far as possible tracking of the nail as it is driven up the hoof wall. This nail

has been specially developed for horses with very sensitive, thin hoof walls.

MX NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.



EUROPEAN STYLE – LONG-NECKED

The long-necked nail in European style is commonly used in Scandinavian countries. The long neck, which is characteristic of this nail series, is perfect for nailing on larger-section horseshoes. Often additional grip can be achieved as the head profile stands proud from the shoe after nailing. These nails are outstanding for horses that are used on varied terrain, where high traction is exercised on the horseshoe or where additional grip is required. As with all Mustad nails these are of exceptional quality and are part of a range offering the most precise and reliable nails of their kind on the market. There is always a risk of misplacing a nail during nailing-on, but this is reduced to an absolute minimum if the nails are totally consistent in the first place – Mustad ensures this is the case with all their nail products.

50



European style - long necked - Mustad JC nail

Type	square head
Model	Swedish model, long neck
Shoes	V-fullered shoes, plain stamped shoes
Sizes	JC 00 (41mm) - JC 7 (73mm)


The JC nail is an elegant model specifically designed by Mustad with the Swedish market in mind. The JC nail has a faceted ground head, which means that the nail can be driven deeper into the crease. The shank is longer and

thinner than that of the J-nail and the JC nail is available in a large range of sizes. All in all, the JC model is a nail that can be used on everything from small ponies to draught horses.

JC NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.



Crown style - short necked

51



CROWN STYLE – SHORT- NECKED


These nails in crown style with a short neck are popular on the American market. With their short necks, the nails are perfect for the lighter style of horseshoes that are frequently used for lighter breeds. As a result these nails are particularly suited to thoroughbreds, trotters and quarter horses. The manufacturing precision of all these nails ensures nail placement is always achieved in a reliable and calculable way.

Type square crown head
Model French style, short neck
Shoes V-fullered shoes
Sizes C STÖ5 (47mm)


The C STÖ-nail has a short neck and a thin shank. The neck is slightly shorter than that of the FJ. This nail is intended for slender and light horseshoes and fits very

well and securely in the many trotter and sliding horseshoes.

C STÖ NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the crown mark is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.




Type square crown head
Model French style, short neck
Shoes V-fullered shoes
Sizes FJ0 (40.5mm) - FJ3 (53.5mm)


FJ is a modern nail with slender shank, short neck and low head. All the junctions in the nail are fluid in form. The nail is perfect for horseshoeing racing horses, among other things because it

offers a perfect fit for thinner horseshoe designs. In addition to racers, trotters and mustangs can be reliably and safely shod using FJ nails.

FJ NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the crown mark is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.





Type square crown head
Model French style, short neck
Shoes V-fullered shoes
Sizes FJO S (40.5mm) - FJ1 S (43.5mm)


The FJ-slim nail has a longer and thinner shank than the FJ model. It is suitable for lighter breeds with thin or sensitive hoof walls. This nail offers a reliable secure fit and minimises displacement of the hoof wall during shoeing. Thanks to

the increased length of FJ-slim nails it is possible to nail these higher into the hoof wall. Also should a shoe be thrown, damage to the hoof wall is minimised by these slender nails.

FJ-SLIM NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the crown mark is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.



CROWN STYLE – LONG-NECKED

This style of nail, with a crown head and a long neck, originated in France and is still widely used there. The long neck is ideal for thicker horseshoes starting from around 10 mm. In France many horses are traditionally shod with 10 mm horseshoes and because such horseshoes are not only thicker but also heavier a stronger nail is required. The difference between the individual nail types in this series lies in the head sizes and the fluid, well proportioned forms. Furthermore, the nail is offered in a very wide range of sizes so that this series is suitable for many horse types.

56



Crown style - long necked - Mustad M nail

Type square crown head
Model French style, long neck
Shoes V-fullered shoes
Sizes M40 (40mm) - M65 (64.5mm)


The M-nail is a French-style nail with a long neck. Compared with other French-style nails such as the JCF and VF F, the head of the M-nail is narrower. This means that the head of an M-nail fits very

deeply and securely in the nail holes of all Mustad V-crease horseshoes so that the head is flush with the surface of the horseshoe.

M NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the crown mark is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.



Crown style - long necked - Mustad VF F nail



57

Type square crown head
Model French style, long neck
Shoes V-fullered shoes
Sizes VF 4F (44mm) - VF 12F (80mm)


The VF F is a high-quality nail in the traditional French style with a long neck and a square head. The nail is suited to a wide range of horseshoes and horses, because apart from other considerations

this nail model is available in a wide range of sizes. The VF-F is a reliable and robust nail suitable for horses that are used on varied terrains where high traction forces can act on the horseshoe.

VF F NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the crown mark is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.



58


Crown style - long necked - Mustad VT nail

Type square crown head
Model French style, long neck
Shoes V-fullered shoes
Sizes VT5 (47mm) - VT8 (62mm)


The VT is another Mustad nail in the French style. The neck of this nail is long and the head is a little smaller in comparison to a VF-nail (see VF-nail). This nail is very strong and is very suitable for

horses that work on hard surfaces with heavy loads or on heavy and demanding terrain, where the horseshoe is exposed to heavy loading.

VT NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the crown mark is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.



Flat head (CH)

59



FLAT HEAD

The Mustad flat-head nails are traditional nails for the American market and provide an excellent fit with U-fullered horseshoes. Rodeo events are fast gaining popularity in Europe, so quarter horses and their special horseshoes are making their presence ever more strongly felt in this market. The nail types of this series vary in many respects - heads, shanks and neck sizes. The security and reliability of some styles of nails in this group, for example the City Head, are increased yet further by an additional projecting edge on the head.

In addition to the low tolerances for size variation Mustad continues to produce innovative designs. Not only do we offer the best-quality nails, but we also react to changes in market requirements, often long before they happen, to ensure fully tested new products are always available for developing sports and markets.



60

Flat head (CH)- Mustad RN nail


Type flat head
Model USA style
Shoes U-creased shoes
Sizes RN3 (35mm) -
RN6 (51mm)

The RN-nail is a classic American nail for racehorses which has been specially developed for U-fullered horseshoes. It is a versatile nail that is also used on quarter horses and racers.

RN NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.



Flat head (CH) -Mustad ASV nail



61

Type flat head
Model USA style
Shoes U-creased shoes
Sizes ASV 1⁵/₈ (41mm) -
ASV 2 (51mm)


The ASV-nail again has American design features, which is why it is especially suitable for U-fullered horseshoes. In comparison to the RN the head of the ASV nail is somewhat smaller ensuring that it

fits securely and strongly in the nail hole, so that the head is flush with the surface of the horseshoe. The ASV is also a very good choice for most race-style shoes.

ASV NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.





Type flat head
Model USA style
Shoes U-creased shoes
Sizes City4 (45mm) -
City6 (54mm) /
City5slim (50mm)


The City Head is a traditional model from the USA. The head is designed for a perfect fit in U-fullered horseshoes. This all-purpose nail is distinguished by a robust nail shank that is slimmer than that of the REG model. This

facilitates simple and safe nailing, with minimal displacement of the hoof wall. To promote correct and safe nailing, the nails have an edge on the inside to aid accurate positioning by touch.

CITY HEAD NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.




ALSO AVAILABLE AS CITY-SLIM


Type flat head
Model USA style
Shoes U-creased shoes
Sizes Combo5 (47.5mm) -
Combo6 (54mm)

The properties of the Combo nail are similar to those of the City Head nail (see City Head). The difference between the two is that the Combo nail is especially suitable for larger-section shoes.

COMBO NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.



64



Flat head (CH) - Mustad REG nail

Type flat head
Model USA style
Shoes U-creased shoes
Sizes REG4 (45mm) -
REG16 (97mm)


The REG-nail is another traditional nail from the USA that was developed to provide a secure hold for most conventional U-fullered horseshoes. It is especially suitable

for heavy horses, such as draught horses. However, horses that work under variable conditions on demanding terrain also benefit from the strength of the REG nail.

REG NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.




65

Flat head (CH) - Mustad FOAL 1 nail

Type flat head
Model USA style
Shoes U-creased shoes
Sizes Foal1 (32mm)

The Foal 1 nail is a very small and narrow nail. The nail head fits U-fullered (orthopaedic) horseshoes for foals.

FOAL 1 NAIL



Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad.





SPECIAL



These nails have been developed for a relatively small and very specialised market. RIB-nails are perfect for pony trekking in the mountains.

Type	special square head
Model	Spanish style, traction nail
Shoes	V-fullered shoes: LB, BM, DM, Equi-Librium
Sizes	RIB4 (50mm) - RIB6 (56mm)


The RIB-nail is designed for increased traction. The head has a normal rectangular form that fits firmly into the fuller, but is extended and ends in a wedge-shaped point. As a consequence, the wedge part of the head

projects above the surface of the shoe providing additional grip. The RIB-nail is designed for horses that require additional grip with every step - for example trekking ponies in rough and variable terrain.

RIB NAIL




Precision, perfection and reliability are the definitive features of Mustad nails. The error ratio and the tolerance deviations of Mustad nails are very low as quality is always the prime consideration at Mustad. In order to ensure the correct placement of the nail when nailing on, the Mustad 'M' is always stamped on the same side of the nail head as a simple visual confirmation for the farrier.



Heller Hoof Rasps

3



The manufacture of files and rasps goes back centuries. Drawings for machines that produce files are found as far back as the time of Leonardo Da Vinci. Rasps and files are important in both the metalworking and woodworking industries.

For the farrier a good rasp is one that is sharp and predictably removes material without the teeth becoming clogged, regardless of the direction of work. In principle, for a farrier a single rasp should be sufficient for every horse, even though hoof horn quality can vary greatly for a number of reasons. It is essential that both softer horn and hard dry horn can be quickly, easily and properly removed and shaped.

A Farrier's rasp is at first glance a simple tool, but these rasps are manufactured using a complex production process, requiring care and precision to obtain the function and wear characteristics that are now expected. The differences among the various types of

rasp are found primarily in the tooth density and the angle of the teeth to the rasp. The combination of a large tooth density and smaller angle is particularly well suited for a dry climate where hoofs are hard and the horn material is fine and dry. In contrast, a rasp with a lower tooth density and smaller angle is suitable for a damper climate with softer hooves, where the material tends to stick to the teeth of the rasp. The file side of Heller rasps is sharp, enabling efficient removal of material with little effort. The file side can be used both to file the side of the hoof flat and to polish the hoof wall. The sharpness of the rasp and its serviceability are dependent on the type of metal, the shape of the teeth and the angle at which the teeth are placed. The production of a hoof rasp



rasps are easily damaged if they come into contact with each other, or are dropped or otherwise mistreated. Throughout the production process Heller rasps are treated with great care to maintain quality at an optimum level and this is achieved by having a work flow that prevents even the slightest damage from occurring anywhere along the way. It is important that farriers have an understanding of the care taken to protect Heller rasps during production and transport so that they understand that tossing a hoof rasp on the ground or sliding it across a hard surface are enough to cause serious damage. A little care is all that is needed to ensure an extended working life from the reliable precision instrument that came out of the original packaging.

Length
360mm
Width
43mm
Thickness
5mm
Number of teeth per row
6

The Heller Legend is a rasp with a larger tooth angle, resulting in a more open structure in the rasp. This structure makes the rasp well suited for all types of hoof including softer, damper horn material that tends to clog a

finely toothed rasp. The Heller Legend is particularly good for sport horses. For horses that spend most of their time outside in the sand and mud, the Black Legend is probably a better choice.

Legend



The file side of Heller rasps is sharp, enabling efficient removal of material with little effort.

Length
360mm
Width
43mm
Thickness
5mm
Number of teeth per row
6

The Black Legend is a rasp with a larger open tooth angle, similar to the Heller Legend. This makes the Black Legend more suitable for softer, damper horn structures. The Black Legend differs from the Heller Legend in that it has an

extra coating that ensures horn material is released from the rasp more easily and makes it longer lasting. This rasp is suitable for many horses and particularly those that spend a lot of time outside where the hooves

Black Legend



The file side of Heller rasps is sharp, enabling efficient removal of material with little effort.

accumulate sand and mud that can have a negative impact on the wear process of rasps.

Length
360mm
Width
43mm
Thickness
5mm
Number of teeth per row
6

The Heller Red Tang rasp has a slightly finer tooth structure that removes material easily. This rasp is designed for rasping hard, dry hooves. The Red Tang rasp is ideal for thoroughbred type hooves and

foals. For horses that spend much of their time outside in the sand and mud, the Black Master is probably a better choice.

Red Tang




The file side of Heller rasps is sharp, enabling efficient removal of material with little effort.

Length
360mm
Width
43mm
Thickness
5mm
Number of teeth per row
6

The Black Master is a finely toothed rasp, similar to the Red Tang. This rasp is especially well suited for hard, dry hooves. The Black Master differs from the Red Tang due to the addition of an extra coating that ensures

material is released from the rasp easily and makes it longer lasting. This rasp is suitable for many horses and particularly those that spend a lot of time outside where the hooves accumulate sand and mud that can have a negative

Black Master



The file side of Heller rasps is sharp, enabling efficient removal of material with little effort.

impact on the wear process of rasps.

Length
430mm
Width
43mm
Thickness
5mm
Number of teeth per row
6

The Heller Big Hoof is an extra long fine toothed rasp. Its length makes this rasp a good choice for extra large hooves, and the fine teeth make the rasp ideal for dry, hard hooves.

Big Hoof



The file side of Heller rasps is sharp, enabling efficient removal of material with little effort.




Length
360mm
Width
43mm
Thickness
5mm

The Master Finishing rasp has two file sides differing in density. This rasp can be used for taking away horn or for polishing and finishing the hoof. An other application of this rasp is to file

below the nail hole before the nail is bowed.

Master Finishing



The file side of Heller rasps is sharp, enabling efficient removal of material with little effort.



One-stop-shop

4



We offer a complete range that covers the needs of every farrier. In addition to horseshoes from Mustad and St. Croix, Mustad nails and Heller rasps, we offer a wide range of products such as forging and shoeing tools, hoof care articles, etc.

This is truly one-stop shopping for the farrier – we are specialists who understand the needs of farriers and we do our utmost to stock a range to cater for all eventualities. On the following pages, you will find a summary of our standard stock items.



Derby E nail



Derby E-slim nail



Derby JC nail



Derby RN nail

Driving hammers >

Mustad driving hammer
300, 355 and 470 gr

Forging hammers >

Mustad forging hammer
round 800/1100 grMustad forging hammer
round/squareJim Poor forging hammer
800 to 1350 grJim Poor pin hammer
950 and 1050 grJim Poor ball hammer
1050 gr

Forepunches >

Mustad forepunch
E-head

Jim Poor forepunch

Creasers >



Mustad creaser

Pritchels >

Jim Poor creaser
wood

Mustad pritchel

Soft hammers >



Mustad rawhide hammer

Nippers >

**Mustad** nippers
12", 14" and 15"**St.Croix** nippers
12", 14" and 15"**Edge** nippers
12", 14" and 15"

Pull-offs >

**Mustad** pull-off black**St.Croix** pull-off**Edge** pull-off

Nailpullers >

**Mustad** nailpuller black**St.Croix** nailpuller**Edge** nailpuller

Clinchers >

**Mustad** clincher**St.Croix** clincher**Edge** clincher

Other tongs >

**Mustad** nailcutter black

Examination tong

**Mustad** forging tong
univ., 6, 8, 10, 12 mm

Anvils >

**Centurion** 40 kg**Future** 1**Future** 2**Future** 4

Toeing knives >

**Mustad** toeing knives
280, 340 and 360**Future** 5

Sharpeners >

**Mustad** sharpener**TFS**

Grinding belts >



Ceramic grinding belt

Clinch cutter & under clinch gouges >

**Mustad** clinch cutter**Mustad** under clinch gouge**Mustad** clinching block
USA style

Hoofknives >

**Mustad** hoofknife
Wide Blade**Mustad** hoofknife
Black Blade**Mustad** hoofknife
Short Blade

Safety & Comfort

Studs >

**Mustad** studs
H1 3/8" galvanised**Mustad** studs
H2 3/8" galvanised**Mustad** studs
C 3/8" galvanised**Mustad** studs
Ice 7 3/8" galvanised**Mustad** studs Jump**Mustad** Plug

Alternative shoeing >

**Mustad** Easy step

Glu-on shoes >

**Mustad** Easy glu**Mustad** Glu II

Pads >

**Mustad** No-shock**Mustad** No-shock wedge**Mustad** No-shock
bar wedge**Mustad** No Snow**Shocktamer**

Leather pads and wedges

**Mustad** Open-up pad**Myron McLane** Egg-bar
wedges**Duval** padcutter

Hoof boots >



Delta hoof boot



Delta hoof boot socks



Delta hoof boot pads

Hoofcare

Hoof repair >



Vettec Sil-Pak



Vettec Equi Pak



Vettec Equi Pak CS



Vettec Equi Build



Vettec Sole Guard



Vettec Adhere



Vettec Super Fast



Vettec small dispensers



Vettec accessories

Hoofcare >



Mustad Hoof-protect



Mustad Quarter crack patch



Mustad Trushbuster



Mustad Tuff Stuff



Hypoizin



Edward Martin coating black and transparent

Feed supplements >



Hoof Power



Right Balance Biscuits



Right Balance Pellets

Visit us at www.mustad.com



- www.mustad.com
- www.hellerhoofrasps.com
- www.mustadhoofnails.com
- www.stcroixforge.com
- www.mustadhorseshoes.com